

Message

From: rogers, rick [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BCE033A9EDE7409D944D8AE868394548-RR0GER04]
Sent: 2/19/2019 3:15:41 PM
To: Rodrigues, Cecil [rodrigues.cecil@epa.gov]; Armstrong, Joan [Armstrong.Joan@epa.gov]; Armstead, John A. [Armstead.John@epa.gov]; Melvin, Karen [Melvin.Karen@epa.gov]
CC: Fernandez, Cristina [Fernandez.Cristina@epa.gov]; Poeske, Regina [Poeske.Regina@epa.gov]
Subject: RE: Chemours Notice of Violation
Attachments: 2018-11-26 Chemours Information Request Pursuant to CWA 308.pdf; Chemours WW Report_Combined Apendices_2.5.2019.pdf; Chemours WW_DRAFT Report_2.5.2019_non-CBI.DOCX

Cecil,

I saw that John sent copies of the TSCA NOV and inspection report. I've attached a copy of the CWA 308 letter that went to Chemours for their Washington Works plant in WV. I also have copies of the 308 letters that went to Chemours for their North Carolina and New Jersey facilities. Also attached is a copy of the draft NPDES inspection report with CBI redacted. That inspection was led by OECA and their contractor. A member of WPD's NPDES Enforcement Branch participated in that inspection as did a representative from WVDEP's NPDES program. I am trying to find out from OECA if the draft inspection report was shared with WV. I will also find out how the NPDES enforcement action was coordinated with TSCA.

Let me know if you have any questions.

Rick

Rick Rogers, Associate Director
Office of Drinking Water and Source Water Protection
Water Protection Division (3WP20)
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Rodrigues, Cecil
Sent: Tuesday, February 19, 2019 8:27 AM
To: Armstrong, Joan <Armstrong.Joan@epa.gov>; Armstead, John A. <Armstead.John@epa.gov>; Melvin, Karen <Melvin.Karen@epa.gov>; rogers, rick <rogers.rick@epa.gov>
Cc: Fernandez, Cristina <Fernandez.Cristina@epa.gov>; Poeske, Regina <Poeske.Regina@epa.gov>
Subject: Chemours Notice of Violation

This item was in the OECA report to the Administrator.

Ex. 5 Deliberative Process (DP)

Rick, please get me the final version of the NOV and the inspection report.

Thanks. Cecil.

Cecil Rodrigues

Deputy Regional Administrator (3DA00)

EPA Region III

1650 Arch Street

Philadelphia, PA 19103

215.814.2683

215.814.2901 (fax)

Iphone: 215.266.2960

rodrigues.cecil@epa.gov